

Please write clearly in block capitals.

Centre number

Candidate number

Surname _____

Forename(s) _____

Candidate signature _____

INTERNATIONAL A-LEVEL BIOLOGY (9610)

Unit 5 Synoptic paper

Tuesday 19 June 2018 07:00 GMT Time allowed: 1 hour 30 minutes

Materials

For this paper you must have:

- a pencil
- a ruler with millimetre measurements
- a scientific calculator, which you are expected to use where appropriate.

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- All working must be shown.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 75.
- In question 6, 2 marks will be awarded on the quality of your written communication.

You will be marked on your ability to:

- use good English
- organise information clearly
- use specialist vocabulary where appropriate.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
TOTAL	




Answer **all** questions in the spaces provided.

0 1

Figure 1 is an electron micrograph of part of a myofibril from a relaxed skeletal muscle.

Figure 1



Magnification $\times 40\,000$

0 1 . 1

Label **Figure 1** using the letters **A**, **B** and **C** to show:

- A** a region containing only actin filaments
- B** a region containing only myosin filaments
- C** a region containing both actin and myosin filaments.

[2 marks]


0 1 . 2

Draw an **unlabelled** diagram of **one** complete sarcomere from **Figure 1**.

Do your drawing to scale on the graph paper in **Figure 2**.
Draw the sarcomere 100 mm in length.

[3 marks]

Figure 2



0 1 . 3

The magnification of the myofibril in **Figure 1** is $\times 40\,000$

Calculate the magnification of your drawing in **Figure 2**.

[2 marks]

*Do not write
outside the
box*

Magnification of drawing in **Figure 2** = _____

Question 1 continues on the next page

Turn over ►



There are no questions printed on this page

Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**


Turn over ►



0 2

Plants produce growth substances called auxins.

Figure 3 shows a 4-day-old oat seedling.



The oat seedling produces an auxin called indoleacetic acid (IAA).

The concentration of IAA in different parts of the seedling varies but is never more than a few parts per million (ppm).

You are provided with:

- 100 oat seedlings, all 4 days old
- some IAA solution with a concentration of 100 mg dm^{-3} (100 ppm)
- any other laboratory apparatus you may need.

*Do not write
outside the
box*



0 3

The freshwater shrimp, *Gammarus pulex*, lives under stones on the bottom of streams and rivers.

Some students investigate the effect of water flow rate on the distribution of freshwater shrimps in a stream.

The students:

- place a 50 cm × 50 cm square metal quadrat frame on the stream bed
- place a net along the downstream edge of the quadrat
- disturb the stones in the quadrat with their hands for 30 seconds
- count the number of shrimps that have been washed into the net
- measure the water flow rate by floating an orange in the stream and recording how long it took to move 2 metres.

They repeat this procedure at 11 more sites along the stream.

0 3 . 1

The students place the quadrat at random locations in the stream.

Why is it important to place the quadrat at random?

[1 mark]

0 3 . 2

The students measure water flow rate by timing how long it takes an orange to float two metres down the stream.

Give **one** disadvantage of this method for studying the effect of flow rate on the distribution of freshwater shrimps in the stream.

[1 mark]

Question 3 continues on the next page


Turn over ►



Figure 4 shows the students' results.

Do not write outside the box

Figure 4



The students use the data to calculate a Spearman rank coefficient, $r = -0.87$

0 3 . 3

The students conclude that freshwater shrimps prefer slow-flowing water. Evaluate this conclusion.

[3 marks]



03.4

Freshwater shrimps live under the stones on the stream bed.

*Do not write
outside the
box*

Suggest **two** advantages for the shrimps of living under the stones rather than above them.

[2 marks]

1 _____

2 _____

7

Turn over for the next question

Turn over ►



0 4

Beta-thalassaemia is an inherited condition in which the body makes an abnormal form of haemoglobin. The abnormal haemoglobin affects the osmotic properties of the red blood cells.


A scientist tests the effect of different concentrations of sodium chloride solution on the red blood cells in samples of blood taken from two people:

- a healthy person
- a person with beta-thalassaemia.

The scientist:

- dilutes 0.1 cm^3 blood to a volume of 100 cm^3 with 0.60% sodium chloride solution
- places a drop of the diluted blood on the counting grid of a haemocytometer slide, as shown in **Figure 5**
- places a special, thick coverslip over the diluted blood to give a depth of 0.1 mm of diluted blood
- places the haemocytometer slide on the stage of a microscope
- counts the number of red blood cells in a $0.2 \text{ mm} \times 0.2 \text{ mm}$ square on the slide.

Figure 5



Do not write
outside the
box



The scientist counts the red cells in blood diluted by a factor of 1/1000 with 0.60% sodium chloride solution. He does this in order to calculate the number of red blood cells per mm^3 of the person's blood.

0 4 . 1 Give the reason why the scientist dilutes the blood before counting the red blood cells.

Use information from **Figure 5**.

[1 mark]

0 4 . 2 The water potential of 0.60% sodium chloride solution is slightly lower than the water potential of the cytoplasm of the red blood cells.

Explain why the scientist uses 0.60% sodium chloride solution, and not water, to dilute the blood.

[2 marks]

0 4 . 3 Use the following procedure to count the number of red blood cells in the $0.2 \text{ mm} \times 0.2 \text{ mm}$ square in **Figure 5**:

- count all cells that are completely within the $0.2 \text{ mm} \times 0.2 \text{ mm}$ square
- count cells that are touching the left side and the lower side of the square
- do not count cells that are touching the right side or the upper side of the square.

[1 mark]

Number of red blood cells in the $0.2 \text{ mm} \times 0.2 \text{ mm}$ square = _____

Question 4 continues on the next page

Turn over ►



0 4 . 4 Estimate the number of red blood cells in 1.0 mm^3 of undiluted blood.

Use your answer from question **04.3**
Give your answer in standard form.

[3 marks]

Number of red blood cells in 1.0 mm^3 of undiluted blood = _____

0 4 . 5 The scientist uses a special, thick coverslip over the sample of diluted blood. A normal, thinner coverslip would have been pulled down slightly by the surface tension of the liquid beneath it.

Explain what effect the use of a normal, thinner coverslip would have had on your answer to question **04.4**

[2 marks]

0 4 . 6 What else could the scientist do to increase the accuracy of the estimate of the number of red blood cells?

[1 mark]



The scientist then investigates the effect of other concentrations of sodium chloride solution on the red blood cells. The scientist uses the same method as described previously in **Figure 5** on page 12.

The red cells burst at certain concentrations of sodium chloride. When red cells burst they release haemoglobin into the surrounding solution. This process is called haemolysis. The scientist calculates the percentage of cells haemolysed at each concentration of sodium chloride.

0 4 . 7 Burst red blood cells are no longer visible in the microscope.

Suggest how the scientist could determine the percentages of cells that are haemolysed.

[2 marks]


Question 4 continues on the next page

Turn over ►




Figure 6 shows the scientist's results using blood from the healthy person and from the person with beta-thalassaemia.

Do not write outside the box



After counting cells in samples of blood in the different concentrations of sodium chloride, the scientist centrifuges each sample.

Figure 7 shows the results, after centrifugation, for the healthy person.



0 4 . 8

Explain how the results for the person with beta-thalassaemia would be different from those in **Figure 7**.

Use information from **Figure 6**.

[2 marks]

*Do not write
outside the
box*

14

Turn over for the next question

Turn over ►



0 5

Electrophoresis is a technique that can be used for separating molecules of different substances.


A scientist separates amino acids and peptides in a solution as follows.

The scientist:

- places a drop of the solution in the middle of a large sheet of filter paper
- makes the filter paper moist with a buffer solution at pH 7.0
- places the paper into a tank with the ends of the paper dipping into more buffer solution at pH 7.0
- connects an electrode to each end of the paper
- applies a potential difference of 3 kV (kilovolts) across the paper for 30 minutes.

Figure 8 shows the apparatus.

Figure 8



*Do not write
outside the
box*



Table 1 gives information about three substances the scientist separated.

*Do not write
outside the
box*

Table 1

Substance	Structure	Molecular mass, M	Electric charge, e
Aspartate	$ \begin{array}{c} \text{COO}^- \\ \\ {}^+\text{H}_3\text{N} - \text{Asp} - \text{COO}^- \end{array} $	132	-1
Peptide A	$ \begin{array}{c} \text{NH}_3^+ \\ \\ {}^+\text{H}_3\text{N} - \text{Ala} - \text{Met} - \text{Lys} - \text{COO}^- \end{array} $	349	
Peptide B	$ \begin{array}{c} \text{COO}^- \quad \text{COO}^- \\ \quad \\ {}^+\text{H}_3\text{N} - \text{Gly} - \text{Asp} - \text{Glu} - \text{Phe} - \text{COO}^- \end{array} $	464	

0 5 . 1 Complete **Table 1** to show the electric charge on peptide **A** and on peptide **B**. **[2 marks]**

Question 5 continues on the next page


Turn over ►



The scientist:

- measures the distance moved along the paper by each substance
- repeats the process for many more peptides of different mass and charge
- calculates the 'mobility', μ , of each peptide as the distance moved by the peptide relative to the distance moved by aspartate (Asp).

Figure 9 shows the scientist's results plotted on logarithmic graph paper.



0 5 . 2 Why does the scientist plot the mobility of each peptide relative to the distance moved by Asp instead of plotting the actual distance moved by each peptide?

[2 marks]

0 5 . 3 The mobility of Asp is shown on the graph in **Figure 9**.

Plot the mobility of peptide **A** and the mobility of peptide **B** on **Figure 9**.

Use data from **Table 1** on page 19.

[2 marks]

0 5 . 4 The scientist found that the mobility, μ , of each peptide was related to its charge, e , and its molecular mass, M , as shown by the following formula:

$$\mu \propto e M^{-2/3}$$

$$\text{or } \log_{10} \mu \propto \log_{10} e - \frac{2}{3} \log_{10} M$$

The data in **Figure 9** form three lines with the same slope.

What is the slope of each line in **Figure 9**?

[1 mark]

Tick (✓) **one** box.

$-\frac{2}{3}$

$-\frac{1}{3}$

$+\frac{1}{2}$

$+\frac{2}{3}$

Turn over ►



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Copyright information

For confidentiality purposes, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.oxfordaqaexams.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and Oxford International AQA Examinations will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 Oxford International AQA Examinations and its licensors. All rights reserved.

