

Please write clearly in block capitals.

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

Surname

---

Forename(s)

---

Candidate signature

---

# INTERNATIONAL A-LEVEL CHEMISTRY (9620)

Unit 4: Organic 2 and Physical 2

Tuesday 12 June 2018      07:00 GMT      Time allowed: 1 hour 30 minutes

## Materials

For this paper you must have:

- the Periodic Table/Data Sheet, provided as an insert
- a ruler with millimetre measurements
- a scientific calculator, which you are expected to use where appropriate.

## Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- All working must be shown.
- Do all rough work in this book. Cross through any work you do not want to be marked.

## Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 80.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
<b>TOTAL</b>	



Answer **all** questions in the spaces provided.

Do not write  
outside the  
box

0 1

This question is about three isomers of  $C_4H_8O$

A	B	C
$CH_3CH_2COCH_3$	$CH_3CH_2CH_2CHO$	$CH_3CH=CHCH_2OH$

0 1 . 1

Give the IUPAC name for isomer **B** and for isomer **C**.

[2 marks]

**B** \_\_\_\_\_

**C** \_\_\_\_\_

0 1 . 2

Isomers **A** and **B** both react with KCN followed by dilute acid.

Name the mechanism for this reaction.

Draw the two enantiomers formed by isomer **A** in this reaction and show how the two enantiomers are related to each other.

[3 marks]

Mechanism \_\_\_\_\_

Enantiomer 1

Enantiomer 2



0 1 . 3

Describe a test-tube reaction to distinguish isomer **C** from isomer **A**.*Do not write  
outside the  
box*

State the observations.

**[2 marks]**

Test \_\_\_\_\_

\_\_\_\_\_

Observation(s) with isomer **A** \_\_\_\_\_

\_\_\_\_\_

Observation(s) with isomer **C** \_\_\_\_\_


\_\_\_\_\_

7

**Turn over for the next question****Turn over ►**

0 2

Aspirin can be produced by the acylation of 2-hydroxybenzoic acid (salicylic acid), as shown in **Figure 1**. In this reaction, ethanoyl chloride is a powerful acylating agent.

**Figure 1**

0 2 . 1

In the industrial manufacture of aspirin, ethanoic anhydride is used instead of ethanoyl chloride as the acylating agent.

Give **two** reasons why ethanoic anhydride is used instead of ethanoyl chloride.

**[2 marks]**

Reason 1 \_\_\_\_\_

\_\_\_\_\_

Reason 2 \_\_\_\_\_

\_\_\_\_\_

0 2 . 2

In the laboratory, the aspirin produced is impure. It is purified by recrystallisation using water as the solvent.

Complete the steps carried out in a recrystallisation practical.

**[3 marks]**

Step 1 \_\_\_\_\_

Step 2 Filter whilst hot

Step 3 \_\_\_\_\_

Step 4 Vacuum filter

Step 5 \_\_\_\_\_

Step 6 Dry in a desiccator



**0 2 . 3** Outline how you could confirm that a sample of aspirin is pure.

**[2 marks]**

---

---

---

---

**0 2 . 4** Ethanoyl chloride reacts with amines to produce amides.

Name and outline the mechanism for the reaction between ethanoyl chloride and methylamine.

**[5 marks]**

Name of mechanism \_\_\_\_\_

**Question 2 continues on the next page**

**Turn over ►**



Amines can be prepared from different compounds.

**0 2 . 5** Propylamine ( $\text{CH}_3\text{CH}_2\text{CH}_2\text{NH}_2$ ) can be prepared in two different **one-step** reactions.

For each reaction, identify:

- the organic starting material, and
- the reagent and condition(s).

**[4 marks]**

**Reaction 1**

Organic starting material \_\_\_\_\_

Reagent and condition(s) \_\_\_\_\_

\_\_\_\_\_

**Reaction 2**

Organic starting material \_\_\_\_\_

Reagent and condition(s) \_\_\_\_\_

\_\_\_\_\_

**16**

**Turn over for the next question**



**There are no questions printed on this page**

*Do not write  
outside the  
box*

**DO NOT WRITE ON THIS PAGE  
ANSWER IN THE SPACES PROVIDED**

**Turn over ►**



0 7

0 3

Gas chromatography (GC) was used to separate a mixture of five compounds, **D**, **E**, **F**, **G** and **H**.


**Table 1** shows the names and formulae of these compounds.

**Table 1**

Compound	Name	Formula
<b>D</b>	1-bromopentane	$\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Br}$
<b>E</b>	trichloroethanoic acid	$\text{Cl}_3\text{CCOOH}$
<b>F</b>	hexane	$\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_3$
<b>G</b>	methoxybutane	$\text{CH}_3\text{OCH}_2\text{CH}_2\text{CH}_2\text{CH}_3$
<b>H</b>	methylbenzene	$\text{C}_6\text{H}_5\text{CH}_3$

**Figure 2** shows the output from the detector in this separation.

**Figure 2**



0 3 . 1

State the meaning of the term retention time.

[1 mark]

---



---



**0 3 . 2** Two of the compounds are present in the mixture in equal amounts.

Explain how **Figure 2** shows this.

[1 mark]

---



---

**0 3 . 3** Give a reason why nitrogen is used rather than oxygen as the carrier gas.

[1 mark]

---



---

**0 3 . 4** Polyethane-1,2-diol (PEG) is a liquid and is part of the stationary phase.

Identify what else is needed to complete the stationary phase.

Tick (✓) **one** box.

[1 mark]


Aluminium oxide

Argon

Carbon dioxide

Epoxyethane

**0 3 . 5** Polyethane-1,2-diol (PEG) can be represented as



Explain why PEG is polar.

[2 marks]

---



---



---

Turn over ►



**0 3 . 6** Deduce the compound in the mixture with retention time 4.9 minutes.

Give a reason for your choice.

**[2 marks]**

Compound \_\_\_\_\_

Reason \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**0 3 . 7** Some modifications to the GC apparatus were considered to improve the separation of the same mixture of components.

Predict the effect, if any, of each modification on the retention times of the components.

**[3 marks]**

Increasing the column temperature \_\_\_\_\_

\_\_\_\_\_

Decreasing the column length \_\_\_\_\_

\_\_\_\_\_

Decreasing the carrier gas flow rate \_\_\_\_\_

\_\_\_\_\_


**11**



**0 4**

Clothes are often made from polyesters such as Terylene.

Two repeating units of the polymer Terylene are shown.

**0 4 . 1**

Draw the skeletal formulas of the two monomers that react to form Terylene.

**[2 marks]**

Monomer 1

Monomer 2

**0 4 . 2**

Explain why Terylene is biodegradable but polychloroethene is not.

**[3 marks]**


---



---



---



---



---



---


**Question 4 continues on the next page**

**Turn over ►**



Proteins are chains of amino acids linked together.

The structure of a tripeptide is



**0 4 . 3** Draw a circle around one peptide link on the diagram.

**[1 mark]**

**0 4 . 4** Draw the displayed formula of the zwitterion formed by the amino acid which makes up the central section of the tripeptide in Question **04.3**.

**[1 mark]**

**0 4 . 5** Name the type of structure where protein chains form  $\alpha$ -helixes and  $\beta$ -pleated sheets.

**[1 mark]**

---



04.6

Name the interactions that hold protein chains in a  $\beta$ -pleated sheet.

*Do not write  
outside the  
box*

Explain how these interactions are formed.

**[3 marks]**

---

---

---

---

---

---

---

---

---


---

**Question 4 continues on the next page**

**Turn over ►**



Cisplatin is used as an anticancer drug.



Do not write  
outside the  
box


**0 4 . 7** Cisplatin bonds with DNA by ligand replacement.

**Figure 3** shows part of a DNA strand.

Complete **Figure 3** to show the complex formed when one molecule of cisplatin binds with the part of DNA shown.

**[1 mark]**

**Figure 3**



**0 4 . 8** State how cisplatin affects cancer cells.

**[2 marks]**

---



---



---



---

14

**Turn over for the next question**



**There are no questions printed on this page**

*Do not write  
outside the  
box*


**DO NOT WRITE ON THIS PAGE  
ANSWER IN THE SPACES PROVIDED**

**Turn over ►**





Benzene can be converted into phenylamine by a two-step synthesis as shown.



Do not write  
outside the  
box

**0 5 . 2** The mechanism of Reaction 1 involves attack by an electrophile.

Give the reagents used to produce the electrophile needed in Reaction 1.

**[2 marks]**

---



---

The percentage yield of the two-step synthesis where benzene is converted into phenylamine was found to be 68%.

**0 5 . 3** State the **two** measurements that need to be recorded to calculate the percentage yield.

**[2 marks]**

Measurement 1 \_\_\_\_\_

---

Measurement 2 \_\_\_\_\_

---

**0 5 . 4** Explain why phenylamine is a weaker base than hexylamine.

**[2 marks]**

---



---



---



---



---

Turn over for the next question

10

Turn over ►



0 6

This question is about carboxylic acids and alkalis.

0 6 . 1

Carboxylic acids are **weak** acids.

State what is meant by weak in this statement.

**[1 mark]**

---

---

0 6 . 2

Barium hydroxide,  $\text{Ba}(\text{OH})_2$ , is a strong alkali.

Calculate the pH of a  $0.0120 \text{ mol dm}^{-3}$  solution of barium hydroxide at 298K

Give your answer to two decimal places.

The ionic product of water,  $K_w = 1.00 \times 10^{-14} \text{ mol}^2 \text{ dm}^{-6}$  at 298K

**[3 marks]**

pH \_\_\_\_\_

0 6 . 3

The value of the acid dissociation constant ( $K_a$ ) for benzenecarboxylic (benzoic) acid ( $\text{C}_6\text{H}_5\text{COOH}$ ) is  $6.31 \times 10^{-5} \text{ mol dm}^{-3}$

Calculate the pH of a  $0.0120 \text{ mol dm}^{-3}$  solution of this acid.

Give your answer to two decimal places.

**[3 marks]**

pH \_\_\_\_\_



0 6 . 4

1.09 g of sodium benzenecarboxylate ( $\text{C}_6\text{H}_5\text{COONa}$ ) is added to  $200 \text{ cm}^3$  of a  $2.4 \times 10^{-3} \text{ mol dm}^{-3}$  solution of benzenecarboxylic acid.

Calculate the pH of the buffer solution produced.

$M_r(\text{C}_6\text{H}_5\text{COONa}) = 144.0$

[5 marks]

Do not write  
outside the  
box

pH \_\_\_\_\_

12

Turn over for the next question

Turn over ►



0 7

The isomers of  $C_6H_{12}O_2$  can be distinguished using NMR spectroscopy.

0 7 . 1

Tetramethylsilane (TMS) is used as a standard in recording both  $^1H$  and  $^{13}C$  NMR spectra. TMS is non-toxic and inert.

Give **two other** reasons why TMS is used as a standard in recording NMR spectra.

**[2 marks]**

Reason 1 \_\_\_\_\_

---



---

Reason 2 \_\_\_\_\_


---



---

Compound **X** is an isomer of  $C_6H_{12}O_2$

**Figure 4** shows the  $^1H$  NMR spectrum for compound **X**.

**Figure 4**

**Table 2** shows information about the five peaks shown in **Figure 4**.

**Table 2**

$\delta$ / ppm	3.8	3.5	2.6	2.2	1.2
Integration ratio	2	2	2	3	3



Use **Table B** in the Data Sheet, **Figure 4** and **Table 2** to answer Questions **07.2**, **07.3** and **07.4**.

*Do not write  
outside the  
box*

**0** **7** . **2** Deduce the part of the structure responsible for the peak at  $\delta = 2.2$  ppm [1 mark]

**0** **7** . **3** Deduce the part of the structure responsible for the peaks at  $\delta = 3.5$  ppm and  $\delta = 1.2$  ppm [1 mark]

**0** **7** . **4** Deduce the part of the structure responsible for the peaks at  $\delta = 3.8$  ppm and  $\delta = 2.6$  ppm [1 mark]

**0** **7** . **5** Draw the structure of the isomer of  $C_6H_{12}O_2$  that would produce the  $^1H$  NMR spectrum shown in **Figure 4**. [1 mark]

Turn over ►



Questions **07.6**, **07.7** and **07.8** are about different isomers of  $C_6H_{12}O_2$

**07.6** Two isomers of  $C_6H_{12}O_2$  are both esters.

Each isomer has only two peaks in their  $^1H$  NMR spectrum. The integration ratio for both esters is 3:1

Draw the two esters.

**[2 marks]**

Ester 1

Ester 2

**07.7** Another isomer of  $C_6H_{12}O_2$  is a carboxylic acid with a chiral centre. This isomer has five peaks in its  $^{13}C$  NMR spectrum.

Draw the structure of this isomer.

**[1 mark]**



0 7 . 8 Another isomer of  $C_6H_{12}O_2$  is a cyclic compound.

This isomer has only two peaks in its  $^{13}C$  NMR spectrum. The infrared spectrum of this isomer does not show an absorption in the region  $1680-1750\text{ cm}^{-1}$

Draw the structure of this isomer. Use **Table A** in the data sheet.

[1 mark]

*Do not write  
outside the  
box*

10

**END OF QUESTIONS**



**There are no questions printed on this page**

*Do not write  
outside the  
box*

**DO NOT WRITE ON THIS PAGE  
ANSWER IN THE SPACES PROVIDED**

**Copyright information**

For confidentiality purposes, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from [www.oxfordqaexams.org.uk](http://www.oxfordqaexams.org.uk) after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and Oxford International AQA Examinations will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 Oxford International AQA Examinations and its licensors. All rights reserved.

