

Please write clearly in block capitals.

Centre number

Candidate number

Surname _____

Forename(s) _____

Candidate signature _____

I declare this is my own work.

INTERNATIONAL AS MATHEMATICS

(9660/MA02) Unit PSM1 Pure Mathematics, Statistics and Mechanics

Wednesday 6 January 2021 07:00 GMT Time allowed: 1 hour 30 minutes

Materials

- For this paper you must have the Oxford International AQA Booklet of Formulae and Statistical Tables (enclosed).
- You may use a graphical calculator.

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- There are three sections to this paper.
- The maximum mark for this paper is 80. There are 40 marks for **Section A**, 20 marks for **Section B** and 20 marks for **Section C**.

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- Show all necessary working; otherwise marks may be lost.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
TOTAL	



Section A


Pure Mathematics

Answer **all** questions in the spaces provided.

- 1 The diagram shows part of the curve with equation $y = f(x)$ such that

$$f(x) = \cos(x - a) + b$$

where a and b are constants such that $0^\circ < a < 90^\circ$ and $0 < b < 1$



- 1 (a) State the period of $f(x)$

[1 mark]

Answer _____



1 (b) The curve has a minimum at the point P , as shown in the diagram.

Find in terms of a and b the coordinates of P

[2 marks]

Answer _____

1 (c) The curve has rotational symmetry about a point Q

Find in terms of a or b the smallest positive value for the x -coordinate of Q

[1 mark]

Answer _____


4

Turn over for the next question

Turn over ►



- 2 A circle passes through the points $P(0, 2)$, $Q(0, 8)$ and $R(9, 11)$ as shown in the diagram.



- 2 (a) The perpendicular bisector of the chord QR has equation $y = 23 - 3x$

Find the coordinates of the centre of the circle.

[2 marks]

Answer _____



- 2 (b)** Find the equation of the circle, giving your answer in the form

$$(x - d)^2 + (y - e)^2 = k$$

where d , e and k are positive integers.

[3 marks]

Answer _____

- 2 (c)** Find the equation of the tangent to the circle at R

Give your answer in the form $x + by = c$ where b and c are integers.

[3 marks]

Answer _____



5 It is given that $y = \log_{16}x$

5 (a) Find an expression in terms of y for $\log_{16}x^3$

[1 mark]

Answer _____

5 (b) Find an expression in terms of y for \log_2x

[3 marks]

Answer _____

5 (c) Using your answers to **parts (a) and (b)**, find the value of x for which

$$4 \log_{16}x^3 + 5 \log_2x - \log_3 81 = 60$$

[3 marks]

Answer _____

7

Turn over ►



Section B**Statistics**

Answer **all** questions in the spaces provided.

7 The score in a game in a television show can be represented by the discrete random variable X with mean 200 and variance 25.2

7 (a) The prize money, in dollars, for the game is calculated using the following formula.

$$\text{prize money} = 2 \times \text{score} + 100$$

Sophie plays the game.

Find the expected value of her prize money.

[2 marks]

Answer _____



7 (b) The score in a second game can be represented by the discrete random variable Y with mean 100 and standard deviation 4.7

The random variables X and Y are independent.

7 (b) (i) Find $E(X - Y)$

[1 mark]

Answer _____

7 (b) (ii) Find $\text{Var}(X - Y)$

[2 marks]

Answer _____

5

Turn over ►



8 (a) The events A and B have probabilities $P(A) = 0.45$ and $P(B) = 0.32$

8 (a) (i) Find $P(A \cup B)$ if A and B are mutually exclusive.

[1 mark]

Answer _____

8 (a) (ii) Find $P(A \cup B)$ if A and B are independent.

[2 marks]

Answer _____

8 (b) Chan and Dalila are taking part in a race. The first 10 runners who finish the race receive a medal.

The event that Chan receives a medal is represented by C

The event that Dalila receives a medal is represented by D

It is given that $P(C) = 0.65$, $P(D) = 0.18$ and $P(C \cup D) = 0.74$

Find the probability that Dalila receives a medal given that Chan receives a medal.

[4 marks]



9 (b) Find $P(X = 24)$, giving your answer to four decimal places.

[2 marks]

Answer _____

9 (c) Find $P(X > 19)$, giving your answer to four decimal places.

[2 marks]

Answer _____

8

Turn over for the next section

Turn over ►



Section C**Mechanics**

Answer **all** questions in the spaces provided.

10 The acceleration due to gravity, g , should be taken as 9.8 m s^{-2}

A ball is projected vertically upwards from ground level at a speed of 32 m s^{-1}

The ball moves freely under gravity.

10 (a) Find the greatest height reached by the ball.

[2 marks]

Answer _____

10 (b) As the ball descends it is caught 2 metres above ground level.

10 (b) (i) Find the **total** distance travelled by the ball.


[1 mark]

Answer _____



11 A car travels along a straight road for 36 seconds.

The motion of the car is shown in the velocity–time graph below.



11 (a) Find the average speed of the car over this 36-second period.


[3 marks]

Answer _____



- 11 (b)** On the axes below draw an acceleration–time graph for the motion of the car over this 36-second period.

[2 marks]



5

Turn over ►




- 12** The diagram below shows a tractor of mass 2000 kg connected to a trailer of mass 10 000 kg by a light horizontal rod.

The tractor and trailer are moving in a straight line on horizontal ground.

A constant horizontal driving force of magnitude D newtons acts on the tractor.

A constant horizontal resistance force of magnitude R newtons acts on the tractor.

A constant horizontal resistance force of magnitude 3500 N acts on the trailer.



- 12 (a)** Initially $D = 5000$ and the tractor and trailer are moving at a constant speed.

Explain why $R = 1500$

[2 marks]

- 12 (b)** The driving force D newtons is reduced.

The magnitude of the force in the rod is 500 N

The resistance forces acting on the tractor and the trailer remain the same.

Find the **two** possible values of D

[5 marks]



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.oxfordaqaexams.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and Oxford International AQA Examinations will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2021 Oxford International AQA Examinations and its licensors. All rights reserved.



2 8



2 1 1 X M A 0 2

IB/G/Jan21/MA02