

Please write clearly in block capitals.

Centre number

Candidate number

Surname _____

Forename(s) _____

Candidate signature _____

I declare this is my own work.

INTERNATIONAL AS MATHEMATICS

(9660/MA01) Unit P1 Pure Mathematics

Monday 3 January 2022 07:00 GMT Time allowed: 1 hour 30 minutes

Materials

- For this paper you must have the Oxford International AQA Booklet of Formulae and Statistical Tables (enclosed).
- You may use a graphical calculator.

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 80.

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- Show all necessary working; otherwise marks may be lost.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
TOTAL	



Answer **all** questions in the spaces provided.

1 The curve C with equation $y = (x - 7)^2 - 35$ has a vertex at the point (p, q)

1 (a) (i) State the value of p

Circle your answer.

[1 mark]

-35

-7

7

35

1 (a) (ii) State the value of q

Circle your answer.

[1 mark]

-35

-7

7

35

1 (b) The curve C is mapped onto the curve D by a reflection in the y -axis.

Find the equation of D

Give your answer in the form $y = x^2 + bx + c$ where b and c are integers.

[2 marks]

Answer _____



3 It is given that

$$f(x) = x^3 + 9x^2 + 15x + k$$

where k is a constant.

When $f(x)$ is divided by $(x - 6)$ the remainder is 605

3 (a) Use the Remainder Theorem to show that $k = -25$

[2 marks]

3 (b) $f(x)$ can be written in the form $f(x) = (x - 1)(x^2 + bx + c)$, where b and c are constants and $b > 0$

3 (b) (i) Write down the value of c

[1 mark]

$c =$ _____

3 (b) (ii) The discriminant of $x^2 + bx + c$ is zero.

Use this to find the value of b

[2 marks]


$b =$ _____



3 (c) Sketch the graph of $y = f(x)$ on the axes below.

Include on your sketch the coordinates of any points where the curve cuts or touches the axes.

[3 marks]



—
8

Turn over for the next question

Turn over ►



4 (b) Production of cars stopped at the end of Month 34

Find the total number of cars produced over the 34-month period.

[2 marks]

Answer _____


—
6

Turn over for the next question

Turn over ►



- 5 The line l_1 and the kite with vertices at the points A , B , C and D are shown in the diagram below.



The coordinates of A are $(3, -2)$

The coordinates of C are $(18, k)$ where k is a constant.

The line segments AC and BD intersect at the point E

The line l_1 has equation $5y - 3x = 32$

The line segment AC is parallel to l_1

- 5 (a) Show that $k = 7$

[3 marks]



5 (b) The point E has coordinates $(13, 4)$ and the line BC has length $2\sqrt{17}$
[AC is the perpendicular bisector of BD for the kite $ABCD$]

5 (b) (i) Show that the lines BE and CE are equal in length.

[3 marks]

5 (b) (ii) Find the coordinates of B and the coordinates of D

[3 marks]

B _____

D _____

Question 5 continues on the next page

Turn over ►



Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Turn over ►



6 The curve C is such that any point (x, y) on C satisfies the equation

$$\frac{d^2y}{dx^2} = 4x - 5$$

6 (a) The point P lies on C

P is a stationary point and at P , $\frac{d^2y}{dx^2} = 11$

6 (a) (i) State with a reason whether P is a minimum point or a maximum point.

[1 mark]

6 (a) (ii) It is given that $\frac{dy}{dx} = 2x^2 - 5x + d$


Show that $d = -12$

[2 marks]



7

The diagram shows part of the curve with equation $y = \frac{k}{x+1}$ where $k > 0$



When the trapezium rule with five ordinates (four strips) is used the

value obtained for $\int_1^5 \frac{k}{x+1} dx$ is 14.07

7 (a) Find the value of k

[4 marks]



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



