

Question Number	Scheme	Marks
9 (a) (i)	<u>Stretch</u> parallel to the x -axis $\times \frac{1}{2}$ or <u>stretch</u> parallel to the y -axis $\times \sqrt{2}$	<u>M1</u> , A1
(ii)	<u>Translate</u> by the vector $\begin{pmatrix} 0 \\ 12 \end{pmatrix}$ (or translate up by 12 (units))	<u>M1</u> , A1
(b) (i)	$12 - \sqrt{x} = \sqrt{2}\sqrt{x}$ $12 = (\sqrt{2} + 1)\sqrt{x}$ $\Rightarrow \sqrt{x} = \frac{12}{\sqrt{2} + 1} \times \frac{\sqrt{2} - 1}{\sqrt{2} - 1} = 12(\sqrt{2} - 1) *$	(4) M1 dM1, A1 *
Alt (i)	$12 - \sqrt{x} = \sqrt{2}\sqrt{x} \Rightarrow (12 - \sqrt{x})^2 = 2x \Rightarrow x + 24\sqrt{x} - 144 = 0$ $\Rightarrow (\sqrt{x}) = \frac{-24 \pm \sqrt{24^2 - 4 \times -144}}{2} = -12 \pm \frac{12}{2} \sqrt{4 + 8} = -12 \pm 12\sqrt{2}$ $\sqrt{x} > 0 \Rightarrow \sqrt{x} = -12 + 12\sqrt{2} = 12(\sqrt{2} - 1) *$	M1 dM1 A1
(ii)	$\Rightarrow x = 12^2 (\sqrt{2} - 1)^2 = 144(2 + 1 - 2\sqrt{2}) = 144(3 - 2\sqrt{2})$ $y \{ = 12 - \sqrt{x} = 12 - 12(\sqrt{2} - 1) \} = 12(2 - \sqrt{2})$ <p>Or common acceptable alt forms: $P(432 - 288\sqrt{2}, 24 - 12\sqrt{2})$</p>	M1, A1 B1 (6) (10 marks)

Question	Scheme	Marks
5(i)(a)	<p>B1 Horizontal translation ← B1 Maximum at origin B1 (-7,0)</p>	B1B1B1
		(3)
(b)	<p>B1 Reflection in y-axis B1 Touches at (-2,0) and passes through (5,0) B1 Passes through (0,-3)</p>	B1B1B1
		(3)
(ii)a	$x = 0 \Rightarrow y = k \cos\left(\frac{\pi}{6}\right) = \sqrt{3}$ $k \frac{\sqrt{3}}{2} = \sqrt{3} \Rightarrow k = 2$	B1
(b)	$(p =) \frac{\pi}{3} \text{ or } (q =) \frac{4\pi}{3}$ $(p =) \frac{\pi}{3} \text{ and } (q =) \frac{4\pi}{3}$	B1 B1
		(3)
		(9 marks)

Question Number	Scheme	Marks
7. (a)(i)	$P = (90^\circ, 3)$	M1, A1
(ii)	$Q = (540^\circ, 0)$	B1
		(3)
(b)	$(270^\circ, 4)$	M1, A1
		(2)
		(5 marks)

Question Number	Scheme	Marks
<p>3.(a)</p> <p>Attempts to make y the subject</p> <p>States $-\frac{3}{5}$ or exact equivalent</p> <p>(b)</p> <p>Uses perpendicular gradients rule \Rightarrow gradient $l_2 = \frac{5}{3}$</p> <p>Forms equation of l_2 using $(6,-2)$ $y+2 = \frac{5}{3}(x-6)$</p> <p>$y = \frac{5}{3}x - 12$</p>		<p>M1</p> <p>A1</p> <p>(2)</p> <p>M1</p> <p>M1</p> <p>A1</p> <p>(3)</p> <p>(5 marks)</p>
<p>Alt1(a)</p>	<p>Eg Coordinates of two points on the line $(0,1.4)$ and $(1,0.8)$</p> <p>Gradient = $\frac{0.8-1.4}{1-0}$</p> <p>Gradient = -0.6</p>	<p>M1</p> <p>A1</p>