

7.


**Figure 3**

Figure 3 shows a sketch of part of the curve C_1

Given that C_1

- has equation $y = f(x)$ where $f(x)$ is a cubic function
- touches the x -axis at the origin and cuts the x -axis at $x = 4$
- passes through the point $(10, 120)$

(a) find $f(x)$

(3)

The curve C_2 has equation $y = 1.2x(8 - x)$

On the following page there is a copy of Figure 3 called Diagram 1.

(b) On Diagram 1 sketch a graph of the curve C_2

(2)

(c) Use algebra to find the coordinates of the points where C_1 and C_2 intersect.
Show each stage of your working.

(5)

6.




Figure 3

In this question you must show all stages of your working.

Solutions relying on calculator technology are not acceptable.

Figure 3 shows

- the line l with equation $y - 5x = 75$
- the curve C with equation $y = 2x^2 + x - 21$

The line l intersects the curve C at the points P and Q , as shown in Figure 3.

- (a) Find, using algebra, the coordinates of P and the coordinates of Q .

(4)

The region R , shown shaded in Figure 3, is bounded by C , l and the x -axis.

- (b) Use inequalities to define the region R .

(3)

1. Given that

$$p = \frac{1}{16}x^4 \quad q = \frac{40}{x^3}$$

express each of the following in the form kx^n where k and n are fully simplified constants.

(a) $p^{\frac{1}{2}}$

(1)

(b) $(pq)^{-1}$

(2)

(c) pq^2

(2)

6.




Figure 3

In this question you must show all stages of your working.

Solutions relying on calculator technology are not acceptable.

Figure 3 shows

- the line l with equation $y - 5x = 75$
- the curve C with equation $y = 2x^2 + x - 21$

The line l intersects the curve C at the points P and Q , as shown in Figure 3.

(a) Find, using algebra, the coordinates of P and the coordinates of Q .

(4)

The region R , shown shaded in Figure 3, is bounded by C , l and the x -axis.

(b) Use inequalities to define the region R .

(3)